

RANGE OF MODELS FOR GREATER FLEXIBILITY OF ROOM DESIGN



GENAU MEIN KLIMA


KAMPMAN









KATHERM TRENCH TECHNOLOGY

FLEXIBLY ADAPTABLE




Adjustments and special designs are the norm in project work. Katherm trench units are therefore available for all geometries, incorporating mitred corners, curved sections, column cut outs or angles.



RECESSES WITH A COVER PLATE



RECESSES IN THE GRILLE ITSELF







INTEGRATED LIGHTING

INTEGRATED SOCKET

MITRE WITH PROFILE

MITRED




MITRE WITH COVER

ALIGNMENT OF THE BAR POSITION


CURVING OF ROLL-UP GRILLE

CURVING OF LINEAR GRILLE



MIDDLE COVER IN THE BUILDING GRID


- A Modular brackets combine Kat-erm trench units with the Kat-erm connection modules
- B Flat design, for instance for bridging cladding anchors
- C Roost height adjustment for ease of adaptation
- D Kat-erm modules can be cut to size on site
- E Grille support
- F Frame profile delivered separately



KATHERM TRENCH TECHNOLOGY

FLEXIBLY ADAPTABLE

Individual connecting modules between the Kampmann trench units create an aesthetic overall picture without disruptive interruptions. You're prepared for every architectural challenge with Kampmann.




TECHNICAL DETAILS



1 CONNECTING MODULE

available in different lengths
can be shortened on site up to 100 mm to
fit the building structure



2 PARTITION SUPPORT

can be used in combination with the
connecting module
in a range of different versions for all
thicknesses
position of partition support can be varied



3 END MODULE

for on site length adjustment it slide in
lead section
can be cut



4 CORNER MODULE

connecting module at 90° angle cannot be
shortened



5 COLUMN MODULE, RECTANGULAR

connecting module with recess support element
the frame profile is delivered precisely to fit
following site measurement
ideal for all kinds of facade profiles



6 ROUND COLUMN MODULE

connecting module with cut out
attachment element with round frame profile
is delivered made to measure following site
measurement

GRILLE COLOURS

Opt for aluminium grilles in a range of anodised finishes.
Or for different finishes of wooden grilles. Perhaps you might prefer polished stainless steel grilles

WOOD



OAK
LACQUERED OR OILED



MERBAU
LACQUERED OR OILED



BEECH
LACQUERED OR OILED



MAPLE
LACQUERED OR OILED

OPTILINE



ALUMINIUM
COATED DB 03



ALUMINIUM
BRONZE ANODISED



ALUMINIUM
BRONZE FINISH



ALUMINIUM
NATURAL ANODISED



ALUMINIUM
BRASS ANODISED



ALUMINIUM
BLACK ANODISED



STAINLESS STEEL
POLISHED



STAINLESS STEEL
NATURAL



BRASS
NATURAL

The grille colours illustrated here do not represent an exact reproduction of the original shades. Please contact us for sample grilles if required.



kampmann.ca

KAMPMANN Heating, Cooling, Ventilation Ltd
1524 East Pender Street
Vancouver BC, V5L 1W1
Canada

+1 604 362 0180
info@kampmann.ca